







- <https://doi.org/10.1109/TVT.2015.2508801>
- [2] H. P. Gupta, T. Venkatesh, S. V. Rao, T. Dutta, and R. R. Iyer, "Analysis of coverage under border effects in three-dimensional mobile sensor networks," *IEEE Transactions on Mobile Computing*, vol. 16, no. 9, pp. 2436–2449, Sept 2017.  
<https://doi.org/10.1109/TMC.2016.2636832>
- [3] M. Shahidehpour and H. Wu, "Applications of wireless sensor networks for area coverage in microgrids," *IEEE Transactions on Smart Grid*, vol. PP, no. 99, pp. 1–1, 2016.
- [4] F. Xiao, X. Yang, M. Yang, L. Sun, R. Wang, and P. Yang, "Surface coverage algorithm in directional sensor networks for three dimensional complex terrains," *Tsinghua Science and Technology*, vol. 21, no. 4, pp.397–406, Aug 2016.  
<https://doi.org/10.1109/TST.2016.7536717>
- [5] H. Chen, X. Li, and F. Zhao, "A reinforcement learning-based sleep scheduling algorithm for desired area coverage in solar-powered wireless sensor networks," *IEEE Sensors Journal*, vol. 16, no. 8, pp. 2763–2774, April 2016.  
<https://doi.org/10.1109/JSEN.2016.2517084>
- [6] H. Yang, X. Li, Z. Wang, W. Yu, and B. Huang, "A novel sensor deployment method based on image processing and wavelet transform to optimize the surface coverage in wsns," *Chinese Journal of Electronics*, vol. 25, no. 3, pp. 495–502, 2016.
- <https://doi.org/10.1049/cje.2016.05.015>
- [7] M. Abolhasan, Y. Maali, A. Rafiei, and W. Ni, "Distributed hybrid coverage hole recovery in wireless sensor networks," *IEEE Sensors Journal*, vol. 16, no. 23, pp. 8640–8648, Dec 2016.
- [8] C. Han, L. Sun, F. Xiao, and J. Guo, "An energy efficiency node scheduling model for spatial-temporal coverage optimization in 3d directional sensor networks," *IEEE Access*, vol. 4, pp. 4408–4419, 2016.  
<https://doi.org/10.1109/ACCESS.2016.2592184>
- [9] M. Rout and R. Roy, "Self-deployment of randomly scattered mobile sensors to achieve barrier coverage," *IEEE Sensors Journal*, vol. 16, no. 18, pp. 6819–6820, Sept 2016.  
<https://doi.org/10.1109/JSEN.2016.2590572>
- [10] —, "Self-deployment of mobile sensors to achieve target coverage in the presence of obstacles," *IEEE Sensors Journal*, vol. 16, no. 14, pp. 5837–5842, July 2016.  
<https://doi.org/10.1109/JSEN.2016.2571064>
- [11] H. P. Gupta, P. K. Tyagi, and M. P. Singh, "Regular node deployment for k-coverage in m-connected wireless networks," *IEEE Sensors Journal*, vol. 15, no. 12, pp. 7126–7134, Dec 2015.  
<https://doi.org/10.1109/JSEN.2015.2471837>