

- [12] FK. Zengin, and S. Kirbag, "Effects of copper on chlorophyll, proline, protein and abscisic acid level of sunflower (*Helianthus annuus* L.) seedlings," *J. Environ. Biol.* 2007;28:561-566
- [13] H. Ahmed, S. Hasanain, A. Akhtar, G. Hussain Abaid-ullah, A. Yasin, Wahid and S. Mahmood, "Antioxidant enzymes as bio-markers for copper tolerance in safflower (*Carthamus tinctorius* L.)," *Afr. J. Biotech* 2010;9:5441 - 5444.
- [14] H. Marschner, "Mineral nutrition of higher plants," Second Edition, Academic Press, 1995;889 p.
- [15] Hall, "Cellular mechanisms for heavy metal detoxification and tolerance," *Journal of Experimental Botany*, 2002;53,366,1-11. <http://dx.doi.org/10.1093/jexbot/53.366.1>
- [16] HK. Lichtenthaler, "Chlorophylls and carotenoids: Pigments of photosynthetic biomembrane," *Methods Enzymology* 1987; 148: 350–381. [http://dx.doi.org/10.1016/0076-6879\(87\)48036-1](http://dx.doi.org/10.1016/0076-6879(87)48036-1)
- [17] J. Kjeldahl, "A new method for the determination of nitrogen in organic matter," *Zeitschrift für Analytische Chemie* 1883; 22: 366-382. <http://dx.doi.org/10.1007/BF01338151>
- [18] J. Rousseau, "Use of copper in organic farming. Environmental impact and perspective of reduction in the amounts employed," Technical institute of the Organic farming, Paris, 1995;62pp.
- [19] J. Wang, W. Li, C. Zhang and S. Ke, "Physiological responses and detoxification mechanisms to Pb, Zn, Cu and Cd in young seedlings of *Paulownia fortunei*," *Journal of Environmental Sciences* 2010; 22(12):1916-1922. [http://dx.doi.org/10.1016/S1001-0742\(09\)60339-9](http://dx.doi.org/10.1016/S1001-0742(09)60339-9)
- [20] JS. Garcia, PL. Gratao, RA. Azevedo, MAZ. Arruda, "Metal Contamination Effects on Sunflower (*Helianthus annuus* L.) Growth and Protein Expression in Leaves During Development," *Journal of Agricultural and Food Chemistry* 2006;54:8623 - 8630 <http://dx.doi.org/10.1021/jf0615931>
- [21] L. Szabados and A. Enyó, "Proline: a multifunctional amino acid". *Trends in Plant Science* 2009;15:89 - 97. <http://dx.doi.org/10.1016/j.tplants.2009.11.009>
- [22] LB. Pena, LA. Pasquini, ML. Tomaro and SM. Gallego, "Proteolytic system in sunflower (*Helianthus annuus* L.) leaves under cadmium stress," *Plant Science* 2006;171:531 - 537 <http://dx.doi.org/10.1016/j.plantsci.2006.06.003>
- [23] LQ. Lou, ZG. Shen and XD. Li, "The copper tolerance mechanisms of *Elsholtzia haichowensis*, a plant from copper-enriched soils," *Environmental and Experimental Botany* 2004;51,111-120. <http://dx.doi.org/10.1016/j.envexpbot.2003.08.002>
- [24] M. Ashraf, MR. Foolad, "Roles of glycine betaine and proline in improving plant abiotic stress resistance," *Environmental and Experimental Botany* 2007;59:206 - 216 <http://dx.doi.org/10.1016/j.envexpbot.2005.12.006>
- [25] MC. Romero-Puertas, JM. Palma, M. Gum, LA. Del Rio and LM. Sandalio, "Cadmium causes the oxidative modification of proteins in pea plants," *Plant, Cell & Environment* 2002;25:677 - 686 <http://dx.doi.org/10.1046/j.1365-3040.2002.00850.x>
- [26] MM. Azouzn, MM. Youssef MY. Al-Omar, "Comparative evaluation of zinc and lead and their synergistic effects on growth and some physiological responses of Hassawi Okra (*Hibiscus esculentus*) seedlings," *American journal of plant physiology* 2011;6 (6): 269-282. <http://dx.doi.org/10.3923/ajpp.2011.269.282>
- [27] MN. BRAVIN, "Processus rhizosphériques déterminant la biodisponibilité du cuivre pour le blé dur cultivé en sols à antécédent viticole" Thèse de doctorat de l'université de Montpellier SupAgro 2008 ; 09p
- [28] MNV. Prasad, K. Drej, A. Skawinska and K. Skawinska, "Toxicity of cadmium and copper in *Chlamydomonas reinhardtii* wild-type (WT2137) and cell wall deficient mutant strain (CW15)," *Bull. Environ. Contam. Toxicol* 1998;60,306-311. <http://dx.doi.org/10.1007/s001289900626>
- [29] MNV. Prasad, P. Malec, A. Waloszek, M. Bojko and K. Strzalka, "Physiological responses of *Lemna trisulca* L. (Duckweed) to cadmium and copper bioaccumulation," *Plant Sci* 2001;161,881-889. [http://dx.doi.org/10.1016/S0168-9452\(01\)00478-2](http://dx.doi.org/10.1016/S0168-9452(01)00478-2)
- [30] MP. Mourato, LL. Martins and MP. Campos-Andrad, "Physiological responses of *Lupinus luteus* to different copper concentrations," *Biol. Plant* 2009; 53:105 - 111. <http://dx.doi.org/10.1007/s10535-009-0014-2>
- [31] MY. Boobar, F. Goodarzi, "The copper tolerance strategies and the role of antioxidative enzymes in three plant species grown on copper mine," *Chemosphere* 2007;67,2138-2147. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.071>
- [32] NL. Choudhary, RK Sairam, A. Tyagi, "Expression of delta-1-pyrroline-5-carboxylate synthetase gene during drought in rice (*Oryza sativa* L.)," *Indian journal of biochemistry & biophysics* 2005;42,366-370.
- [33] NR. Dinakar, PC. Nagajyothi, S. Suresh, Y. Udaykiran, T. Damodharam, "Phytotoxicity of cadmium on protein, proline and antioxidant enzyme activities in growing *Arachis hypogaea* L. seedlings," *Journal of Environmental Sciences-China* 2008;20:199 - 206 [http://dx.doi.org/10.1016/S1001-0742\(08\)60032-7](http://dx.doi.org/10.1016/S1001-0742(08)60032-7)
- [34] NR. Verbruggen, C. Hermans and H. Schat, "Molecular mechanisms of metal hyperaccumulation in plants," *New Phytologist* 2009;181:759 - 776. <http://dx.doi.org/10.1111/j.1469-8137.2008.02748.x>
- [35] NS. Aleksandra, K. Alina, KC. Marta, G. Janina, ZR. Agnieszka, "Accumulation of heavy metals and antioxidant responses in *Vicia faba* plants grown on monometallic contaminated soil," *Environ Sci Pollut Res* 2013;20:1124–1134 <http://dx.doi.org/10.1007/s11356-012-1191-7>
- [36] R. Shields and W. Burnett, "Determination of protein bound carbohydrate in serum by a just modified anthrone method," *Anal. Chem* 1960;32: 885-886. <http://dx.doi.org/10.1021/ac60163a053>
- [37] R. Hänsch, RR. Mendel, "Physiological functions of mineral micronutrients (Cu, Zn, Mn, Fe, Ni, Mo, B, Cl)" *Current Opinion in Plant Biology* 2009;12: 259-266. <http://dx.doi.org/10.1016/j.pbi.2009.05.006>
- [38] S. Khatun, MB. Ali, EJ. Hahn and KY. Paek, "Copper toxicity in *Withania somnifera*: Growth and antioxidant enzymes responses of in vitro grown plants," *Environ. Exp. Bot.* 2008; 64:279 - 285. <http://dx.doi.org/10.1016/j.envexpbot.2008.02.004>
- [39] SM. Gallego, M. Benavides, ML. Tomaro "Involvement of an antioxidant defence system in the adaptive response to heavy metal ions in *Helianthus annuus* L. cells," *Plant Growth Regulation* 2002;36:267 - 273 <http://dx.doi.org/10.1023/A:1016536319908>
- [40] T. Lanaras, MR. Moustakas, L. Symeonidis, S. Diamantoglou, S. Karatagliis, "Plant metal content, growth responses and some photosynthetic measurement on field-cultivated wheat growing on ore bodies enriched in Cu," *Physiol. Plant*, 1993;88,307-314. <http://dx.doi.org/10.1111/j.1399-3054.1993.tb05504.x>
- [41] W. Dreier and M. Göring, "Der einfluss hoher salzkonzentration auf verschiedene physiologische parameter von maiswurzeln," *Wiss Z. der Humboldt Univ Berlin, Math. Naturwiss.* R 1974; 23: 641-644.
- [42] W. Troll and J. Lindsley, "A photometric method for the determination of proline," *J. Biochem* 1955;655-660.
- [43] X. Yang, HY. Peng and SK. Tian, "Gamma-aminobutyric acid accumulation in *Elsholtzia splendens* in response to copper toxicity," *Journal of Zhejiang University Science* 2005;6B, 96-99. <http://dx.doi.org/10.1631/jzus.2005.B0096>
- [44] Y. Chen, M. Zhang, T. Chen, Y. Zhang, L. Year, "The relationship between seasonal changes in anti-oxidative system and freezing tolerance in the leaves of evergreen woody plants of *Sabina*," *South African Journal of Botany* 2006; 72:272 - 279 <http://dx.doi.org/10.1016/j.sajb.2005.09.004>
- [45] Y. Roupael, M. Cardarelli, E. Rea, G. Stuck, "Grafting of cucumber as a means to minimize copper toxicity," *Environmental and Experimental Botany*, 2008;63,49-58. <http://dx.doi.org/10.1016/j.envexpbot.2007.10.015>
- [46] Z. Krupa, M. Moniak, "The stage of leaf maturity implicates the response of the photosynthetic apparatus to cadmium toxicity," *Plant Sci.* 1998;138, 149–156. [http://dx.doi.org/10.1016/S0168-9452\(98\)00159-9](http://dx.doi.org/10.1016/S0168-9452(98)00159-9)
- [47] ZL. Hong, K. Lakkineni, ZM. Zhang, DPS. Verma, "Removal of feedback inhibition of Delta(1)-pyrroline-5-carboxylate synthetase results in increased proline accumulation and protection of plants from osmotic stress". *Plant Physiology* 2000;122:1129 – 1136 <http://dx.doi.org/10.1104/pp.122.4.1129>